

# KUDOS

SHOWERING SOLUTIONS



ultimate**8**

COLLECTION 2024

---

ultimate walk-through: single panel, matt black hinged deflector panel x 2,  
matt black front panel fixing kit x 2 and aqua4ma evolution centre waste deck



ultimate curved corner with flat side panel, wall post, L/H hinged deflector  
panel and concept bow fronted tray



# ultimate<sup>8</sup>

## Walk-ins

### The ultimate in versatility.

Stylishly minimalist and modern, yet classically elegant, Kudos ultimate walk-in enclosures complement and enhance every style of bathroom design. So give your home the kudos it deserves and step into showering luxury with a Kudos ultimate walk-in enclosure.

### Features & Benefits

- + 11 flat panel sizes in 8mm
- + 3 curved panel sizes in 8mm
- + 1950mm high (exc. fittings) 1985mm high (inc. fittings)
- + Toughened safety glass with Lifeshield™ easy clean coating
- + Choice of fixings to suit all situations
- + 3 deflector panel options
- + Available in a number of colour finishes
- + Suitable for fitting to tiled floors or shower trays

ultimate recess: 1 panel, 1 x matt black wall post, 1 x matt black front panel fixing kit,  
1 x aqua4ma evolution centre waste deck





# ultimate<sup>8</sup>

## Flat panel walk-in enclosures

11 flat panel sizes in 8mm toughened safety glass with Lifeshield™ easy clean coating, enable you to create virtually any configuration to suit your style and imagination. Kudos ultimate flat panel walk-in enclosures can be fitted to tiled floors or most standard shower trays, however, if fitting to a shower tray, for complete peace of mind we recommend using a Kstone or the stunning connect2.

### Features & Benefits:

- + Lifeshield™ easy clean glass coating
- + 11 flat panel sizes in 8mm
- + 1950mm high (exc. fittings) 1985mm high (inc. fittings)
- + Glass to floor gasket to minimise silicone
- + Easy fit dry-seal wall post, requiring no silicone
- + Available in a number of colour finishes



ultimate recess 1x ultimate panel, 1x matt black wall post, 1x matt black stabilising arm and aqua4ma Evolution end waste deck



L/H Fold away deflector panel in 'closed' position



L/H Fold away deflector panel in 'open' position

ultimate corner: 2 single panels, 1 wall post, 1 front panel fixing kit,  
one fold away deflector panel on a connect2 tray.



# ultimate<sup>8</sup>

## Space efficient curved panel enclosures

These unique elegantly designed Bow Fronted walk-in enclosures are the perfect solution for smaller bathrooms or where wall space is restricted.

Combining 8mm curved toughened glass panels with Kudos Concept Bow Fronted shower trays, ultimate curved panel walk-in enclosures make an ideal bath replacement especially where a door or window position restricts the available depth of the showering area. Available in three sizes, to suit 1200mm, 1500mm, 1700mm curved trays measuring just 700mm at each end providing the bather with a generous showering area for comfort and enjoyment.

### Features & Benefits:

- + Lifeshield™ easy clean glass coating
- + 3 Panel sizes in 8mm (700mm, 1000mm, 1200mm) for 1200mm, 1500mm and 1700mm bow fronted trays
- + 1950mm high exc. fittings. 1985mm high (inc. fittings)
- + Glass to floor gasket to minimise silicone.
- + Easy fit dry-seal wall post, requiring no silicone
- + Available in a number of colour finishes

ultimate curved corner with flat side panel, wall post, L/H hinged deflector panel and concept bow fronted tray



ultimate curved corner with flat side panel, wall post,  
L/H hinged deflector panel and concept bow fronted tray






# Ultimate deflector panels, fixing kits and colour finishes.

## Deflector Panels

Designed to contain the majority of over-spray and splashing within the showering area, Kudos ultimate deflector panels are available in three styles, each option is able to be retro-fitted and can be added at a later date if required.

Enjoy the pleasure and appearance of a walk-in shower even where space is at a premium. With the ability to fit a deflector panel it is now possible to create a functional and stunning enclosure even as small as 1200mm\*.




A = Rec min access 500mm  
B = 265mm

### Fixed Deflector Panel:

Supplied with fixings to connect to standard fixing kit recess or corner. This 255mm fixed deflector panel provides a 90° angled barrier to prevent splashing outside of the showering area.

**Not suitable for use with angled or ceiling fixing kit. Not for use with curved panels**




A = Rec min access 500mm  
B = 300mm or 400mm  
C = 180° rotation for easy access

### Hinged Deflector Panel:

Available in 300 and 400mm widths in both 8 & 10mm glass thickness, the hinged deflector rotates through 180° for easy access. Featuring heavy duty hinges with crystal clear seals for minimalist appearance. Available in both 8 & 10mm glass thickness and featuring heavy duty hinges and crystal clear vertical seal.

**Suitable for use with flat and curved panel enclosures and all ultimate fixing kits**



A = Rec min access 500mm  
B = 300mm  
C = 135° rotation stops at optimum position for maximum overspray protection

### Fold-Away Hinged Deflector Panel:

Designed to fit neatly behind the front panel when not in use, the 300mm Fold-Away deflector panel stops at a 45° angle to the front panel when in use to provide the optimum protection from over-spray. Available in both 8 & 10mm glass thickness.

**Suitable for use with flat panel enclosures and all ultimate fixing kits**

**Note: All ultimate Hinged Deflector Panels are handed please suffix codes with LH or RH. All illustrations show Right Hand option.**

**\*Please note that whilst deflector panels will contain a significant amount of overspray they are not intended to be watertight so some water may leave the showering area (particularly with smaller configurations).**



## Fixing Kits

To secure your shower panel we offer a number of fixing options. For maximum stability we recommend the Standard fixing kit, available for both front panel and side panels. However, if it is not possible to use this style of fixing, we also offer an angled fixing kit in 2 sizes or a glass to ceiling support which can be cut to the desired length.



### Standard Fixing Kits

Shown: Front panel fixing kit with side panel fixing kit. Each stabilising bar is 1000mm long and can be cut to suit. A 1500mm front panel kit is also available.



### Angled Fixing Kit

Available in 300mm or 500mm options.



### Ceiling Fixing Kit

Ceiling fixing bar is 600mm long and can be cut to suit ceiling height.

See page 10 for suitability of fixings based on the configuration of your walk-in enclosure.

## Colour Finishes

Kudos ultimate fittings are available in Chrome/Silver, Matt Black, Brushed Nickel and Brushed Brass. In addition Polished Gold, Polished Bronze, Brushed Bronze, Gun Metal and White are available to special order.

### Standard Colour Finishes



Chrome



Brushed Nickel



Matt Black



Brushed Brass

### Special Order Colour Finishes\*



Polished Gold



Gun Metal



Polished Bronze



White




Brushed Bronze

\*Special order items, please allow 8 weeks



# Create the walk-in that is perfect for your bathroom.


## Flat Panel Configurations



### Recessed

1 x Glass Panel  
1 x Wall Post  
1 x Front Panel Fixing Kit\*


*\*Standard, Ceiling or Angled*



### Open Ended

1 x Glass Panel  
1 x Wall Post  
1 x Front Panel Fixing Kit\*


*\*Standard, Ceiling or Angled*



### Walk Through

1 x Glass Panel  
2 x Front Panel Fixing Kits\*


*\*Standard*



### Corner

1 x Glass Panel (Front)  
1 x Glass Panel (Side)  
2 x Wall Posts  
1 x Front Panel Fixing Kit\*  
1 x Side Panel Fixing Kit\*


*\*Standard, Ceiling or Angled*



### Corner (glass to glass)

1 x Glass Panel (Front)  
1 x Glass Panel (Side)  
1 x Wall Post  
1 x Front Panel Fixing Kit\*  
1 x Corner Seal

*\*Standard, Ceiling or Angled*




### Three Sided

1 x Glass Panel (Front)  
2 x Glass Panels (Side)  
2 x Wall Posts  
1 x Front Panel Fixing Kit\*  
1 x Side Panel Fixing Kit\*  
1 x Corner Seal

*\*Standard, Ceiling or Angled*


## Curved Panel Configurations



### Recessed

1 x Curved Glass Panel  
1 x Wall Post  
1 x Standard Fixing Kit\*

*\*Standard, Ceiling or Angled*



### † Corner

1 x Curved Glass Panel  
2 x Wall Posts  
1 x Flat Glass Panel  
1 x Standard Front Panel Fixing Kit\*\*

*\*Standard, Ceiling or Angled*

† For corner enclosures on a bowed front tray, use a standard 700mm flat panel for the side panel.

## 8mm Flat Panels

### Codes & Dimensions

Panel Sizes*	Product Code 8mm Glass
400mm Glass Panel	5WP400
500mm Glass Panel	5WP500
600mm Glass Panel	5WP600
700mm Glass Panel	5WP700
760mm Glass Panel	5WP760
800mm Glass Panel	5WP800
900mm Glass Panel	5WP900
1000mm Glass Panel	5WP1000
1100mm Glass Panel	5WP1100
1200mm Glass Panel	5WP1200
1400mm Glass Panel	5WP1400
Glass to Glass Corner Seal	5WPCS

\*Sizes shown are nominal. All panels are undersized by 45mm to allow for tiling when fitting to shower trays. When choosing your panel size we recommend allowing access of approx. 500mm.

*Ultimate flat panel walk-in enclosures can be fitted to tiled floors or most standard shower trays, however if fitting to a shower tray for complete peace of mind we recommend using a Kudos Kstone or the stunning connect2.*

## Curved Panels

### Codes & Dimensions

Panel Sizes*	Product Code
700mm Curved Panel (for 1200mm tray)	5WPCV700
1000mm Curved Panel (for 1500mm tray)	5WPCV1000
1200mm Curved Panel (for 1700mm tray)	5WPCV1200

**Add 700mm flat panel to create a corner enclosure**

**Shower Panels for Space Efficient Enclosures (8mm only) \*\***

\*Sizes shown are nominal. All panels are undersized by 45mm to allow for tiling when fitting to shower trays. When choosing your panel size we recommend allowing access of approx. 500mm.

\*\*Designed to fit a dedicated Bowed Fronted concept tray. Ultimate curved panels can be fitted direct to a tiled floor, however unless the wet floor area is shaped to match the curve of the panel drainage may be impaired

**Fittings required for the SE enclosures, with the exception of the wall post, are the same as those shown for the equivalent flat panel enclosures.**

## Fixings & Deflector Panels

Description	Silver/Chrome *Product Code	Matt Black Product Code	Brushed Brass Product Code
Wall Post for Flat Glass Panels	10WPK	10WPKMBK	10WPKBRG
Wall Post for SE Curved Glass Panels	10WPKCV	10WPKCVMBK	10WPKCVBRG
Glass to Glass Corner Seal	5WPCS	-	-
Front Panel Fixing Kit Standard (1000mm)	10WPFPFK	10WPFPFKMBK	10WPFPFKBRG
Front Panel Fixing Kit (1500mm)	10WPFPFK150	10WPFPFK150MBK	10WPFPFK150BRG
Side Panel Fixing Kit	10WPSPFK	10WPSPFKMBK	10WPSPFKBRG
Glass to Ceiling Fixing Kit	10WPGC	10WPGCMBK	10WPGCBRG
Angled Fixing Kit (300mm)	10WPGW30	10WPGW30MBK	10WPGW30BRG
**Angled Fixing Kit (500mm)	10WPGW50	10WPGW50MBK	-
**Fixed Deflector Panel 8mm Glass	5WPDEFP	5WPDEFPMBK	-
**Hinged Deflector Panel (300mm) 8mm Glass †	5WPHINDP	5WPHINDPMBK	-
**Hinged Deflector Panel (400mm) 8mm Glass †	5WPHINDP400	5WPHINDP400MBK	-
Fold Away Deflector Panel (300mm) 8mm Glass †	5WPFADP	5WPFADPMBK	5WPFADPBRG

\* Please add the following codes to your product code when ordering a colour option:

Brushed Nickel (**BRN**), Polished Gold (**PG**), Polished Bronze (**PB**), Brushed Bronze (**BRB**), Gun Metal (**GM**) and White (**WH**).

All are special order items, please allow 8 weeks

\*\* Only available in Chrome and Matt Black


† Hinged and Fold-away deflector panels are handed please suffix codes with LH or RH

## Shower Trays for Curved Panel Enclosures

### Shower Tray Codes & Dimensions

Tray Sizes	Standard High Gloss Product Code	SR (Slip Resistant) Product Code	Dimensions (mm)				
			A	B	C	D	E
1200mm x 700mm	DB120W	DB120WSR	1200	850	700	600	677
1500mm x 700mm	DB150W	DB150WSR	1500	888	700	750	714
1700mm x 700mm	DB170W	DB170WSR	1685	910	700	843	737

### Overhead Diagrams



### Kudos Concept Bow Fronted shower trays

Manufactured from an Acrylic capped ABS skin with a structured resin bonded stone filler. All sizes are available in a high gloss finish or with the new Kudos SR slip resistant matt finish.

**Kudos Shower Products Ltd**

Elmsfield Park, Holme  
Cumbria LA6 1RJ  
United Kingdom

Telephone: +44 (0)1539 564040

Fax: +44 (0)1539 564141

Email: [sales@kudosshowers.co.uk](mailto:sales@kudosshowers.co.uk)

[www.kudosshowers.co.uk](http://www.kudosshowers.co.uk)